

**AUTOMATION**  
**Cantilever & Telescopic**

**2018**

# CANTILEVER




5 Wheel



8 Wheel



Hard Plate



Track  
Galvanised



End Wheel  
Zinc Plated


CODE	TYPE
CGS-350M	SMALL
CGS-350P	MEDIUM
CGS-350G	LARGE

CGS-350.8M	SMALL
CGS-350.8P	MEDIUM
CGS-350.8G	LARGE

CODE	TYPE
CGS-05P	MEDIUM
CGS-05G	LARGE

CODE	TYPE	SIZE
CGS-345M	SMALL	3000x68
CGS-345M-6	SMALL	6000x68
CGS-345P	MEDIUM	3000x100
CGS-345P-6	MEDIUM	6000x100
CGS-345G	LARGE	3000x140
CGS-345G-6	LARGE	3000x140

CODE	TYPE
CGS-347M	SMALL
CGS-347P	MEDIUM
CGS-347G	LARGE



Slab Mounting System



Adjustable End Bracket  
Zinc Plated



Adjustable End Bracket-End Cap  
Zinc Plated

CODE	WIDTH
CGS-30M	53-76mm
CGS-30P	86-114mm
CGS-30G	103-150mm

CODE	A	B
CGS-15M	155mm	165mm
CGS-15P	155mm	190mm
CGS-15G	155mm	220mm

CODE	TYPE
CGS-346M	SMALL
CGS-346SCM	SMALL, SELF CENTERING
CGS-346P	MEDIUM
CGS-346G	LARGE

CODE	TYPE
CGI-40	SUITS 65mm SHS





Adjustable Tension Bar

CODE	TYPE
SLAD-J	4m/100kg or 3m/150kg
SLAB-R	4m/150kg or 3m/300kg

The Slab makes cantilever systems possible on projects with a modest budget. By providing a straight base for motor & wheel, Slab seriously reduces your installation time and visits to site.

## CANTILEVER KITS



CODE	TYPE
CGS-150KIT-3	2x 3meter Monorail 2x 5- wheel carriage 1x end cup 4x rollers 30mm
CGS-150KIT-6	1x 6 meter Monorail 2x5-wheel carriages 1x end cap 1x end wheel 4x rollers
CG-9728	Top guide with bearing rollers. Includes two adjustable, Grey nylon ball bearing gate rollers 30mm dia. x 10mm long
CG-9764	Side guide with bearing rollers Includes 2x Grey rollers 30mm dia. x 10mm long.


## 4 TO 15 METER GATES



This system allows sliding gates to be used where there's not enough side room for a standard gate to open. Using this system will increase the speed of the gate. The front gate is operated by the pulley system and moves twice as fast as the gate driven by the motor.

The effective gate weight is 5x the leaf weight. You'll need a motor with a manufacturers rating of 5x your leaf weight. It works by using two half width gates which work together using the kit.

**ALL PARTS ARE ZINC PLATED**



### FULL PACK

CODE	DESCRIPTION
TGK-004-FULL	Opening to 4m/ Max 600kg combined leaf weight
TGK-008-FULL	Opening to 8m/ Max 600kg combined leaf weight
TGK-011-FULL	Opening to 11m/ Max 800kg combined leaf weight
TGK-015-FULL	Opening to 15m/ Max 800kg combined leaf weight