

FASTENERS

2018

FASTENERS

TEK SCREWS COLORED
10-16x16



CODE	COLOR	CTN
SCR101616BLACK	BLACK	4000
SCR101616BASALT	BASALT	4000
SCR101616C/GREEN	CAULFIELD GREEN	4000
SCR101616ESTATE	ESTATE	4000
SCR101616DUNE	DUNE	4000
SCR101616HARVEST	HARVEST	4000
SCR101616HAW/GREEN	HAWTHORNE GREEN	4000
SCR101616HEDGE	HEDGE	4000
SCR101616H/RED	HERITAGE RED	4000
SCR101616IRONBARK	IRON BARK	4000
SCR101616JASPER	JASPER	4000
SCR101616MERINO	MERINO	4000
SCR101616M/GREEN	MIST GREEN	4000
SCR101616MONUMENT	MONUMENT	4000
SCR101616M/SAND	MOSS VALE SAND	4000
SCR101616MTN/BLUE	MOUNTAIN BLUE	4000
SCR101616NOTREDAME	NOTRE DAME	4000
SCR101616O/WHITE	OFF WHITE	4000
SCR101616PRIMROSE	PRIMROSE	4000
SCR101616RIVERGUM	RIVER GUM	4000
SCR101616S/GRAY	SLATE GRAY	4000
SCR101616S/CREAM	SMOOTH CREAM	4000
SCR101616WINDSPRAY	WIND-SPRAY	4000
SCR101616STONE	STONE	4000
SCR101616TEATREE	TEA TREE	4000
SCR101616WHEAT	WHEAT	4000
SCR101616LOFT	LOFT	4000
SCR101616IRONSTONE	IRONSTONE	4000
SCR101616SHALEGREY	SHALE - GREY	4000
SCR101616WALLABY	WALLABY	4000

- **Hex Self Drilling Screws**
- **Hex Drive Bit Required**
- **Suitable For General Fixing Of Metal. Application Gates, Fencing**
- **Some Of These Colors Are Made To Order Please (MTO- Made To Order) Allow This When Ordering**

TEK SCREWS GALVANISED
10-16x16



CODE	DESCRIPTION	CTN
SCR101616	HEX SOCKET FULL THREAD CLASS 3 GALVANISED	4000


TEK SCREWS COLORED
12-14x20



CODE	COLOR	CTN
SCR121420A/GRAY	ARMOUR GRAY	2000
SCR121420BLACK	BLACK	2000
SCR121420C/GREEN	CAULFIELD GREEN	2000
SCR121420HARVEST	HARVEST	2000
SCR121420HAW/GREEN	HAWTHORNE GREEN	2000
SCR121420HEDGE	HEDGE	2000
SCR121420H/GREEN	HERITAGE GREEN	2000
SCR121420H/RED	HERITAGE RED	2000
SCR121420IRONSTONE	IRONSTONE	2000
SCR121420JASPER	JASPER	2000
SCR121420MERINO	MERINO	2000
SCR121420M/GREEN	MIST GREEN	2000
SCR121420M/SAND	MOSS VALE SAND	2000
SCR121420M/BLUE	MOUNTAIN BLUE	2000
SCR121420O/WHITE	OFF WHITE	2000
SCR121420PRIMROSE	PRIMROSE	2000
SCR121420RIVERGUM	RIVER GUM	2000
SCR121420S/GRAY	SLATE GRAY	2000
SCR121420S/CREAM	SMOOTH CREAM	2000
SCR121420STONE	STONE	2000
SCR121420TEATREE	TEA TREE	2000
SCR121420WHEAT	WHEAT	2000
SCR121420WHITE	WHITE	2000
SCR121420LOFT	LOFT	2000

- **Hex Self Drilling Screws**
- **Hex Drive Bit Required**
- **Suitable For General Fixing Of Metal.**
- **Some Of These Colors Are Made To Order Please (MTO) Allow This When Ordering**

TEK SCREWS GALVANISED
12-14x20



CODE	DESCRIPTION	CTN
SCR121420	HEX SOCKET FULL THREAD CLASS 3 GALVANISED	2000

FASTENERS

**TEK SCREWS GALVANISED
14-10x22**



CODE	COLOR	CTN
SCR141022	HEX SOCKET FULL THREAD CLASS 3 GALVANISED	500
<ul style="list-style-type: none">• HEX SELF DRILLING SCREWS• HEX DRIVE BIT REQUIRED		


**TEK SCREWS GALVANISED
SELF DRILLING**



CODE	SIZE	CTN
23GHB0812	8-18x12mm	1000
23GHB1016	10-16x16mm	1000
23GHB1225	12-14x25mm	1000
23GHB1255	12-14x55mm	1000
<ul style="list-style-type: none">• HEX SELF DRILLING SCREWS• FULL THREAD• HEX DRIVE BIT REQUIRED		


**SECURITY SELF DRILLING
GALVANISED**



CODE	SIZE	CTN
23GRB1220	12-14x20	1000
	47XR2	65mm
<ul style="list-style-type: none">• SUITABLE FOR USE IN SECURITY FIXINGS, FENCING, SIGNS & CLADDING.• NOT SUITABLE FOR MARINE OR COASTAL ENVIRONMENTS.• SPECIAL DRIVER BIT REQUIRED		




**BATTEN SCREW-
KNURLING
GALVANISED CLASS 4**



CODE	SIZE	CTN
17GBC14050	14-10 x 50mm	1000
17GBC14075	14-10 x 75mm	1000
17GBC14100	14-10 x 100mm	500
17GBC14125	14-10 x 125mm	500
17GBC14150	14-10 x 150mm	250
<ul style="list-style-type: none">• COARSE THREAD AND LONG SHARP FLUTED POINT TO CAPTURE CHIPS IN TIMBER; NIBS UNDER HEAD HELP PREVENT TIMBER PARTICLES WHEN COUNTERSINKING• KNURLING: TO PREVENT TIMBER SPLITTING• SAW TOOTH THREAD: FOR INCREASED DRIVING SPEED.		

**BATTEN SCREW
GALVANISED CLASS 3**



CODE	SIZE	CTN
17GBB14075	14-10 x 75mm	500
17GBB14100	14-10 x 100mm	500
<ul style="list-style-type: none">• COARSE THREAD AND LONG SHARP FLUTED POINT TO CAPTURE CHIPS IN TIMBER.• SUITABLE FOR USE INTO HARD AND SOFT TIMBERS.• BUGLE SELF EMBEDDING HEAD		


**MULTIPURPOSE HEX
GALVANISED CLASS 3**



CODE	SIZE	CTN
17GHC1025	10-12 x 25mm	1000
17GHC1225	12-11 x 25mm	1000
17GHC1250	12-11 x 50mm	1000
17GHC1265	12-11 x 65mm	1000
17GHC1450	14-10 x 50mm	1000
17GHC14100	14-10 x 100mm	500
<ul style="list-style-type: none">• SUITABLE FOR FIXING HARD & SOFT TIMBERS TO THIN METAL UP TO 0.7mm THICK• APPLICATIONS INCLUDE PERGOLAS, FURNITURE, GATES, FENCING• DRIVE TYPE: HEX SOCKET DRIVE		

CODE	SIZE	CTN
17GHC1225BLACK	12-11x25mm	1000
<ul style="list-style-type: none">• PAINTED SATIN BLACK• DRIVE TYPE: HEX SOCKET DRIVE		


DECKING COUNTERSUNK
STAINLESS STEEL



CODE	SIZE	CTN
17SSCB1040	10-10 x 40mm	1000
17SSCB1050	10-10 x 50mm	1000
17SSCB1065	10-10 x 65mm	300

- **SUITABLE FOR USE INTO HARD AND SOFT DECKING APPLICATIONS. SUITABLE FOR USE 100M FROM COASTLINE.**
- **HEAD TYPE: COUNTERSUNK SELF EMBEDDING HEAD**
- **SQUARE DRIVE. 304 STAINLESS STEEL**

CODE	TYPE	CTN
------	------	-----



47QE2	LONG SHANK BLISTER PACK	1 Only
43ACTS10	CLEVER TOOL STANDARD HEAD SCREW (40-50mm)	1 Only

- **SQUARE DRIVE BIT No.2**
- **CLEVER TOOL FOR DECKING**

SELF DRILLING
WAFER HEAD



CODE	SIZE	CTN
23GWB1016	10-16 x 16mm	1000
23GWB1022	10-24 x 22mm	1000
23GWB1030	10-24 x 30mm	1000

- **SUITABLE FOR APPLICATIONS REQUIRING A LOW PROFILE HEAD FOR FIXING INTO STEEL. APPLICATIONS INCLUDE BRACKETS, CLIPS AND SHEETMETAL.**
- **DRIVE TYPE: PHILLIPS DRIVE. FINISH: CLASS 3**


WINGED SELF DRILLING
COUNTERSUNK HEAD



CODE	SIZE	CTN
23GAB1040	10-16 x 40mm	1000
23GAB1045	10-16 x 45mm	1000
23GAB1060	10-16 x 60mm	1000

- **SUITABLE FOR FIXING TIMBER TO METAL. WINGS DESIGNED TO BORE LARGER HOLE THAN THREAD DIAMETER. COUNTERSUNK SELF EMBEDDING HEAD**
- **DRIVE TYPE: PHILLIPS. FINISH: CLASS 3 CLIMOGARD**

MASONBOLT HEX
GALVANISED



CODE	SIZE	CTN
6408040	8 x 40mm	100
6408065	8 x 65mm	50
6410040	10 x 40mm	50
6410050	10 x 50mm	50
6410060	10 x 60mm	50
6410077	10 x 77mm	50
6410097	10 x 97mm	50
6410125	10 x 125mm	50
6412060	12 x 60mm	50
6412075	12 x 75mm	50
6412129	12 x 129mm	25

- **SLEEVE ANCHOR DESIGNED TO GIVE OPTIMAL PERFORMANCE IN CONCRETE, MASONRY AND OTHER SOLID BASE MATERIALS.**
- **DESIGNED FOR MEDIUM LOADS; SAME CLEARANCE HOLE TO DRILL HOLE; INSTANT LOAD CAPACITY; ATTACHING STEEL TO CONCRETE: HAND RAILS, SUPPORT BRACKETS, FENCE SUPPORTS & PALLET RACKING**

MASONBOLT FLUSH HEAD
STAINLESS STEEL



CODE	SIZE	CTN
68FH08070	8 x 70mm	50
68FH10045	10 x 45mm	50
68FH10060	10 x 60mm	50

- **SLEEVE ANCHOR DESIGNED TO GIVE OPTIMAL PERFORMANCE IN CONCRETE, MASONRY AND OTHER SOLID BASE MATERIALS**
- **HEAD TYPE: FLUSH HEAD; FINISH STAINLESS STEEL 316**

SCREWBOLTS
GALVANISED



CODE	SIZE	CTN
SBGH06050	6 x 50mm	25
SBGH08060	8 x 60mm	25
SBGH08075	8 x 75mm	25
SBGH08100	8 x 100mm	25
SBGH10060	10 x 60mm	25
SBGH10075	10 x 75mm	25
SBGH10100	10 x 100mm	25

- **PERMANENT OR TEMPORARY ANCHORING FOR FENCING, BRACKETS, HANDRAILS; SUITABLE FOR: CONCRETE, HOLLOW BRICK, BLOCK AND STONE.**
- **HEAD TYPE: FLANGED HEX HEAD**

COACH SCREW
GALVANISED



CODE	SIZE	CTN
34G10040R	10 x 40mm	50
34G10050R	10 x 50mm	50
34G10075R	10 x 75mm	50
34G10100R	10 x 100mm	50
34G10125R	10 x 125mm	50
34G10150R	10 x 150mm	50
34G12050R	12 x 50mm	25
34G12075R	12 x 75mm	25
34G12100R	12 x 100mm	25

- HEAD TYPE: HEX HEAD
- MEASURE TYPE: METRIC


FRAME ANCHORS
HEX



CODE	TYPE / SIZE	CTN
16FH10060	ZINC 10x 60mm	50
16GFH10060	GAL 10x 60mm	50
16GFH10080	GAL 10x 80mm	50
16GFH10100	GAL 10x 100mm	50

- PREVENTS DISTORTION; SUITABLE FOR: INSTALLING DOOR AND WINDOW FRAMES, FITTING GARAGE DOORS, BASE PLATES & BATTENS;
- BASE MATERIAL USE: CONCRETE BLOCK & LIGHT WEIGHT CONCRETE.


BETTA DRIVE ANCHORS



CODE	TYPE / SIZE	CTN
39550	ZINC 5x 50mm	100
39640	ZINC 6x 40mm	100
39660	ZINC 6x 60mm	100

- LIGHT DUTY, IMPACT, UNIVERSAL EXPANSION ANCHOR DESIGNED FOR USE IN MOST MATERIALS INCLUDING STONE, CONCRETE, SOLID & HOLLOW BRICK/BLOCK.

MAC DRIVE ANCHORS



CODE	TYPE / SIZE	CTN
1432	ZINC 6.5x 32mm	100
1440	ZINC 6.5x 40mm	100
1450	ZINC 6.5x 50mm	100

- IMPACT APPLICATION USING HAMMER; SUITABLE FOR: INSTALLING ELECTRICAL AND PLUMBING FITTINGS, CONDUIT SADDLES, SIGN INSTALLATION.

NAIL IN PLUGS
MUSHROOM



CODE	TYPE / SIZE	CTN
05M625	ZINC 6x 25mm	100
05M640	ZINC 6x 40mm	100
05M650	ZINC 6x 50mm	100
05M675	ZINC 6x 75mm	50

- LIGHT DUTY, IMPACT, EXPANSION ANCHOR DESIGNED FOR USE IN MOST MATERIALS INCLUDING STONE, CONCRETE, SOLID & HOLLOW BRICK/BLOCK.

WALL PLUGS



CODE	TYPE / SIZE	CTN
00B0750	GREEN 6.5x 50mm	1000
00B0730	GREEN 6.5x 30mm	1000
00B0850	BLUE 8x 50mm	1000

- LIGHT DUTY TRADITIONAL EXPANSION ANCHOR FOR USE IN SOLID BASE MATERIALS SUCH AS CONCRETE, SOLID BRICK & SOLID BLOCK. CAN BE USED WITH SCREWS.

MAC PLUGS



CODE	SIZE	CTN
1506	6mm x 30mm	100
1508	8mm x 40mm	100
1510	10mm x 50mm	50
1512	12mm x 60mm	25

- LIGHT DUTY EXPANSION PLUG ANCHOR FOR USE IN SOLID BASE MATERIALS SUCH AS BRICK AND CONCRETE.

WINDOW PACKERS



CODE	TYPE / SIZE	CTN
WP01575	BLUE 1.5mm x75mm	200
WP03275	GREEN 3.2mm x 75mm	200
WP05075	OCHRE 5mm x75mm	200
WP06475	GREY 6.4mmx 75mm	200
WP10075	BLACK10mm x75mm	100

- SUITABLE FOR WINDOW INSTALLATION, DOOR FRAME/ JAMB INSTALLATION, LEVELING FURNITURE, TIMBER DECK INSTALLATION, & FLOOR TILE INSTALLATION.

ROTARY HAMMER
DRILL BITS



CODE	OVERALL LENGTH	SIZE Ø	DRILL DEPTH	CTN
45U5160	160mm	5.0mm Ø	100mm	1
45U05160	160mm	5.5mm Ø	100mm	1
45U06110	110mm	6.0mm Ø	50mm	1
45U06160	160mm	6.0mm Ø	100mm	1
45U065110	110mm	6.5mm Ø	50mm	1
45U065160	160mm	6.5mm Ø	100mm	1
45U065210	210mm	6.5mm Ø	150mm	1
45U08110	110mm	8.0mm Ø	50mm	1
45U08160	160mm	8.0mm Ø	100mm	1
45U08210	210mm	8.0mm Ø	150mm	1
45U08250	250mm	8.0mm Ø	200mm	1
45U10160	160mm	10.0mm Ø	100mm	1
45U10210	210mm	10.0mm Ø	150mm	1
45U10250	250mm	10.0mm Ø	200mm	1
45U12160	160mm	12.0mm Ø	100mm	1
45U12210	210mm	12.0mm Ø	150mm	1
45U13250	250mm	13.0mm Ø	200mm	1
45U14210	210mm	14.0mm Ø	150mm	1
45U16160	160mm	16.0mm Ø	100mm	1
45U18250	250mm	18.0mm Ø	200mm	1
45U20210	210mm	20.0mm Ø	150mm	1

- MAXIMUM PERFORMANCE SUITABLE FOR USE WITH ALL SDS SHANKS.
- FINISH: SANDBLASTED TOOL STEEL



DRILL BITS &
ACCESSORIES



CODE	TYPE/ SIZE	DESCRIPTION	CTN
GFB-009-BP	65mm No.2	PHILLIPS HEAD DUAL END	1
GFB-54-BP	100mm No.2	PHILLIPS HEAD DUAL END	1
GFB-036-BP	150mm No.2	PHILLIPS HEAD SINGLE END	1
GFB-206-B	5/16 x 150mm	MAGNETIC SOCKET	1
GFB-030-BP	5/16 x 70mm	MAGNETIC SOCKET	1
GFB-031-BP	3/8 x 70mm	MAGNETIC SOCKET	1
GFB-348-B	150mm	EXTENDER CLIP IN	1
• BITS TO SUIT ACCESSORIES FOR FENCING & ENGINEERING APPLICATION			

CODE	TYPE/ SIZE	DESCRIPTION	CTN
GFB-025-BP	10mm x 75mm	MAGNETIC BIT HOLDER	1
GFB-120-BP	50mm	5mm HEX BIT	1
GFB-141-B	-	TORX TT25 ANTI-TAMPER	1



CODE	TYPE/ SIZE	DESCRIPTION	CTN
GFB-348-B	150mm	EXTENDER CLIP IN	1
GFB-397-B	100mm	MAGNETIC SWIVEL HEAD	1



CODE	TYPE/ SIZE	DESCRIPTION	CTN
47DS14	SUITS 1/4"	HEX DRIVER BITS	1
• FOR CONSISTENT SCREW DEPTH EVERY TIME ! FEATURING A LOCKING RING, ADJUSTMENT DEPTH SETTER & MAGNETIC END.			