

GATE SAFETY

2018


SERIES 3
MAGNETIC SAFETY LATCH



CODE	MODEL	GAP	CTN
ML3TPLA	TOP PULL STANDARD	19mm	15
ML3VPLA	VERTICAL PULL UP HALF STYLE	19mm	1
ML3RPK	ML3 ROUND POST (ADAPTOR KIT ONLY)	38mm	1

PRODUCT FEATURES

- IMPROVED, STYLISH "SERIES 3" DESIGN
- 6-PIN LOCK CAN BE REKEYED BY A LOCKSMITH
- VISIBLE LOCK INDICATOR
- VERTICAL AND HORIZONTAL ADJUSTMENT
- KEYED ALIKE
- AVAILABLE IN A ROUND POST APPLICATION



STANDARD TOP LATCH SERIES 3


SERIES 2
ORIGINAL MAGNETIC SAFETY LATCH



CODE	MODEL	GAP	CTN
MLTPS2BGA	TOP PULL STANDARD	19mm	20
MLVPS2BGA	VERTICAL PULL UP HALF STYLE	19mm	1
MLS2RPAKA	ROUND POST (ADAPTOR KIT ONLY)	-	1

PRODUCT FEATURES

- KEY LOCKABLE FOR ADDED PEACE OF MIND
- SERIES 2 MAGNA LATCH ARE ALL KEYED ALIKE.
- SIDE FIXING LEGS FOR ACCURATE ALIGNMENT
- AVAILABLE IN A ROUND POST APPLICATION



STANDARD TOP LATCH SERIES 2



* ALL MEASUREMENT ARE IN mm

ALL PRICING REFER TO PRICE BOOK

PLEASE QUOTE CODES WHEN ORDERING

ALERT


SERIES 3
MAGNETIC SAFETY LATCH ELECTRONIC ALARM



CODE	MODEL	GAP	CTN
ML3ATP	TOP PULL STANDARD	19mm	1 Only
ML3AVP	VERTICAL PULL UP HALF STYLE	19mm	1 Only

PRODUCT FEATURES

- ALARM MODE IS ACTIVATED IF GATE IS LEFT OPEN 15 SECONDS
- KEYED ALIKE
- ALARMS ACTIVATE IF GATE IS OPEN OR NOT SECURELY LATCHED
- VISUAL AND AUDIBLE ALARMS (FLASHING LEDs & SOUND ALERT)
- RE-KEYABLE SECURITY LOCK 6 PIN
- LOCK INDICATOR
- SINGLE ALERT BEEPS EACH TIME GATE IS ENTERED/EXITED



ALERT TOP LATCH

SIDE PULL
STANDARD, KEY LOCKABLE, POOL APPLICATION



CODE	MODEL	GAP	CTN
MLSPS2	SIDE PULL NON-LOCKABLE	10mm	10
MLSPS2L	SIDE PULL KEY LOCKABLE	10mm	10
MLSPS2LGHK	GLASS APPLICATION KEY LOCKABLE	10mm	1 Only
MLSPS2GHK	GLASS APPLICATION NON-LOCKABLE	10mm	1 Only




STANDARD



LOCKABLE



GLASS APPLICATION



STANDARD SIDE PULL

PRODUCT FEATURES

- VERTICAL & HORIZONTAL ADJUSTMENT
- GLASS APPLICATION DESIGN FOR 50mm ROUND POST

* ALL MEASUREMENT ARE IN mm

ALL PRICING REFER TO PRICE BOOK

PLEASE QUOTE CODES WHEN ORDERING

Lokk Latch Deluxe

CODE	MODEL	GAP	CTN
LLDAB	STANDARD	25mm	10
LLDAB-A	KEYED ALIKE	25mm	10




ALL STANDARD LOCK LATCH
ARE KEYED DIFFERENT



PRODUCT FEATURES

- OPERATES & LOCKS FROM BOTH SIDES OF THE GATE
- KEYED-ALIKE OR KEY DIFFERENT OPTION
- FITS FENCE POST UP TO 150mm DEEP
- EASY INSTALLATION: ONLY ONE HOLE REQUIRED
- 6-PIN REKEYABLE LOCKS




Lokk Latch Pro- Self Locking

CODE	MODEL	GAP	CTN
LLP1S	STANDARD	19mm	1 Only



PRODUCT FEATURES

- SELF-LOCKING GATE
- REQUIRES KEY TO ENTER AND EXIT
- OPERATES FROM BOTH SIDES OF GATE
- VERTICALLY & HORIZONTALLY ADJUSTABLE
- 6-PIN REKEYABLE LOCKS



T-Latch Gravity Gate Latch


CODE	MODEL	GAP	CTN
TL01	PADLOCK LATCH	25mm	10



PADLOCK NOT INCLUDED

PRODUCT FEATURES

- TOGGLE ACTION AUTOMATICALLY COMPENSATES FOR GATE SAG
- ADJUSTS VERTICALLY AND HORIZONTALLY
- STAINLESS STEEL LATCH BOLT



* ALL MEASUREMENT ARE IN mm

ALL PRICING REFER TO PRICE BOOK

PLEASE QUOTE CODES WHEN ORDERING


Lokk Latch

CODE	MODEL	GAP	CTN
LLAA	FRONT LATCH	19mm	20
LLB	BACK SIDE	-	20
LLAAB (KIT)	FRONT & BACK KIT	19mm	1 Only
LLABRND	ROUND ADAPTOR	38mm	1 Only



PRODUCT FEATURES

- KEY LOCKABLE
- EXTERNAL ACCESS KIT (OPTIONAL) ALLOWS FOR OPERATION FROM BOTH SIDES OF THE GATE
- VERTICAL & HORIZONTAL ADJUSTMENT
- ROUND POST MODEL FITS MOST CHAINLINK.
- Allows For Operation From Both Sides




Lokk Latch Magnetic

CODE	MODEL	GAP	CTN
LLMLDBT	BLACK TRIM KEYED DIFFERENT	19mm	1 Only
LLMLABT	BLACK TRIM KEYED ALIKE	19mm	1 Only



PRODUCT FEATURES

- OPERATES AND LOCKS FROM BOTH SIDES OF THE GATE
- DUAL 6-PINS REKEYABLE LOCKS
- TRIM COVER MATCH THE TRUE CLOSE RANGE
- KEYED ALIKE OR DIFFERENT
- Black Trims Covers Included
- Vertical & Horizontal Adjustment



* ALL MEASUREMENT ARE IN mm

ALL PRICING REFER TO PRICE BOOK



PLEASE QUOTE CODES WHEN ORDERING

TRUE CLOSE HINGES


True Close Hinge Regular





CODE	TRIM FINISH	GAP	CTN
TCA1S3BT	BLACK	19mm	20 Pair
TCA1S3CT	CHROME	19mm	1 Pair
TCA1S3ST	BRUSHED	19mm	1 Pair





TCA1 STANDARD



TCA1 L2



TCA2S3BT



TCA3S3BT

CODE	DESCRIPTION	GAP	CTN
TCA1L2S3BT	BLACK 2 ALIGNMENT LEGS	FIXED 19mm	20 Pair

PRODUCT FEATURES

- SELF-CLOSES GATES UP To 30kg
- ADJUST TENSION FROM EITHER END
- INTERNAL STAINLESS STEEL SPRING

CODE	TRIM	GAP	CTN
TCA2S3BT	BLACK	19mm	1 Pair

PRODUCT FEATURES

- SELF-CLOSES GATES UP To 30kg
- ADJUST TENSION FROM EITHER END
- INTERNAL STAINLESS STEEL SPRING

CODE	TRIM	GAP	CTN
TCA3S3BT	BLACK	19mm	1 Pair

PRODUCT FEATURES

- SELF-CLOSES GATES UP To 30kg

True Close Hinge Safety Cap

CODE	TRIM	CTN
TCACAPS3	BLACK	25



* ALL MEASUREMENT ARE IN mm

ALL PRICING REFER TO PRICE BOOK

PLEASE QUOTE CODES WHEN ORDERING



TRUE CLOSE HINGES



True Close Hinge Heavy Duty



CODE	TRIM FINISH	GAP	CTN
TCHD1AS3BT	BLACK	19mm	20 Pair
TCHD1AS3CT	CHROME	19mm	1 Pair
TCHD1AS3ST	BRUSHED	19mm	1 Pair





CODE	DESCRIPTION	GAP	CTN
TCHD1A-I2S3BT	BLACK 2 ALIGNMENT LEGS	FIXED 19mm	20 Pair

CODE	TRIM FINISH	GAP	CTN
TCHD1S3BT	BLACK	19mm	20 Pair

PRODUCT FEATURES

- SELF-CLOSES GATES UP To 70kg
- WON'T RUST, BIND, SAG OR STAIN
- ADJUST TENSION FROM EITHER END
- INTERNAL STAINLESS STEEL SPRING
- DECORATIVE TRIM COVERS INCLUDES
- TRIM COVERS MATCHES LOKK LATCH MAGNETIC RANGE
- ALIGNMENT LEGS FOR BETTER SUPPORT
- UV-STABILIZED



True Close Hinge Safety Cap

CODE	TRIM	CTN
TCHDCAPS3	BLACK	20



* ALL MEASUREMENT ARE IN mm

ALL PRICING REFER TO PRICE BOOK


PLEASE QUOTE CODES WHEN ORDERING



LIMITED LIFETIME WARRANTY

TRUE CLOSE HINGE ROUND

CODE	SIZING	GAP	CTN
TCHDRND-1	GATE DIAMETER 35 & 41mm POST DIAMETER: 48,60 &78mm	25mm	1 Pair
TCHDRND-2	GATE DIAMETER 48mm POST DIAMETER: 48 &73mm	25mm	1 Pair



PRODUCT FEATURES

- SELF-CLOSE GATES Up To 60kg
- UV STABILIZED
- FASTENERS INCLUDED

TRUE CLOSE MULTI ADJUST

CODE	COLOR	GAP	CTN
TCAMA-1	BLACK	29mm	1 Pair
TCAMA-2	BLACK	35mm	1 Pair
TCAMA2RND	BLACK	35mm	1 Pair



TCAMA-1




TCAMA-2

LIMITED LIFETIME WARRANTY

PRODUCT FEATURES

- SELF-CLOSE GATES Up To 25kg
- FITS GATE GAPS Up To 50mm
- 3-Way Adjustment
- ROUND POST MODEL FOR CHAIN LINK GATES




TRUE CLOSE MULTI ADJUST

CODE	COLOR	GAP	CTN
TCHDMA1	BLACK	25mm	1 Pair

PRODUCT FEATURES

- SELF-CLOSE GATES Up To 60kg
- Up To 19mm Adjustment
- 3-WAY ADJUSTABLE-VERTICAL, HORIZONTAL & TENSION



* ALL MEASUREMENT ARE IN mm

ALL PRICING REFER TO PRICE BOOK PLEASE QUOTE CODES WHEN ORDERING

Kwik Fit ALUMINUM HINGE



KF3ABL



KFL2BL


LIMITED LIFETIME WARRANTY

CODE	MODEL FEATURE	GAP	CTN
KF3A1BL	WALL OR POST MOUNTED	21mm	1 Pair

CODE	MODEL FEATURE	GAP	CTN
KF3L2BL	2 SIDE FIXING LEGS	13mm	1 Pair

PRODUCT FEATURES

- ALUMINIUM CONSTRUCTION WITH POWDER COATED FINISH
- WALL- & POST-MOUNT MODELS
- SELF-CLOSES HINGE FOR GATES Up To 20kg
- Internal Stainless Steel Closing Spring



Kwik Fit HINGE




LIMITED LIFETIME WARRANTY

CODE	MODEL FEATURE	GAP	CTN
KFP	PLAIN PIVOTING NO SPRING	19mm	20 Pair

CODE	MODEL FEATURE	GAP	CTN
KFS	SELF CLOSING FIXED TENSIONS	19mm	20 Pair


PRODUCT FEATURES

- KFP HINGES For GATES Up To 25kg
- KFS SELF-CLOSING HINGES For GATES Up To 20kg
- ECONOMICAL GATE HINGE
- For Use On METAL OR ALUMINIUM



ALL PRICING REFER TO PRICE BOOK PLEASE QUOTE CODES WHEN ORDERING

VALUE PACKS



CODE	CONTENTS	CTN
------	----------	-----

MLKFSK	MLTPS2BGA KFS x1 Pair	15
--------	--------------------------	----

PRODUCT FEATURES

- **PATENTED MAGNETIC SELF-LATCHING**
- **KEY LOCKABLE LATCH**
- **KFS SELF-CLOSING HINGES FOR GATES UP TO 20kg**
- **LATCH GAP : 19mm**
- **HINGE GAP: 19mm**



CODE	CONTENTS	CTN
------	----------	-----

MTSTDKS2CAP	MLTPS2BGA TCA1S3BT x 1 Pair TCA3CAP x 1	15
-------------	---	----

PRODUCT FEATURES

- **PATENTED MAGNETIC SELF-LATCHING**
- **KEY LOCKABLE LATCH**
- **HINGE SELF-CLOSES GATES UP TO 30kg**
- **LATCH GAP : 19mm**
- **HINGE GAP: 19mm**



CODE	CONTENTS	CTN
------	----------	-----

MTSTDKS3CAP3	MLSTPLA TCA1S3BT x1 Pair TCA3CAP x1	15
--------------	---	----

PRODUCT FEATURES

- **SERIES 3 DESIGN SELF-LATCHING**
- **VISUAL INDICATOR PROVIDES LOCKED OR UNLOCKED STATUS**
- **HINGE SELF-CLOSES GATES UP TO 70kg**
- **LATCH GAP : 19mm**
- **HINGE GAP: 19mm**



VALUE PACKS



CODE	CONTENTS	CTN
------	----------	-----

LLAAKFPK	LLAA x 1 KFP x 1 Pair	10
----------	--------------------------	----

PRODUCT FEATURES

- **LATCH KEY LOCKABLE**
- **EXTERNAL ACCESS KIT (OPTIONAL)**
- **KFP HINGES FOR GATES UP TO 25kg**
- **LATCH GAP : 19mm**
- **HINGE GAP: 19mm**



CODE	CONTENTS	CTN
------	----------	-----

LLDABTCHD1AK	LLDAB x 1 TCHD1AS3BT x 1Pair	5
--------------	---------------------------------	---

PRODUCT FEATURES

- **LATCH OPERATES & LOCKS FROM BOTH SIDES OF THE GATE**
- **ADJUST TENSION FROM EITHER END**
- **SELF-CLOSING HINGES FOR GATES UP TO 70kg**
- **LATCH GAP : 25mm**
- **HINGE GAP: 19mm**



D&D SCREWS



CODE	MODEL FEATURE	CTN
------	---------------	-----


D&D SCREW	BLACK WAFER HEADS 10G-16x25mm	100 Pack
-----------	----------------------------------	----------



HANDLES & STOPS

GATE STOPS

CODE	COLOR	MODEL/STYLE	CTN
TCGS2	BLACK	MEDIUM SIZE	1 Only
TCGS3	BLACK	GENERAL USE SMALL	10



PRODUCT FEATURES

- IDEAL GATE ALIGNMENT DEVICE
- PREVENTS DAMAGE TO LATCHES & HINGES
- GREATLY REDUCES GATE SLAM NOISES
- TOUGH, DURABLE POLYMER, RUBBER BUMPER



TCGS2




TCGS3




GATE HANDLES

CODE	COLOR	DESCRIPTION	CTN
LL3GH	BLACK	GENERAL PURPOSE	1 Only



PRODUCT FEATURES

- FITS BOTH LEFT-HAND OR RIGHT-HAND OPENING GATES
- WON'T RUST OR STAIN
- SUPER- STRONG POLYMER CONSTRUCTION
- STAINLESS STEEL FIXING INCLUDED




DROP BOLTS

DROP BOLTS

CODE	INFORMATION	BOLT LENGTH	CTN
LB118BX	METAL GATES	450mm	1 Only
LB124BX	METAL GATES	610mm	1 Only
LBBPGB	OPTIONAL BASE PLATE	-	1 Only

PRODUCT FEATURES

- 316 MARINE GRADE STAINLESS STEEL
- 6-PIN LOCK (REKEYABLE TO MATCH DOORS & GATES)
- OPTIONAL BASE PLATE RETAINS BOLT INTO THE GROUND
- RETENTION GROOVES IN DROP-ROD PREVENT BOLT FROM DROPPING



DROP BOLTS


CODE	INFORMATION	BOLT LENGTH	CTN
QB124	METAL GATES	610mm	1 Only
QB140	METAL GATES	1020mm	1 Only
LBBPGB	OPTIONAL BASE PLATE	-	1 Only

PRODUCT FEATURES

- ELECTRO-POLISHED STAINLESS STEEL
- TOUGH, MOLDED POLYMER MOUNTING SYSTEM
- OPTIONAL BASE PLATE RETAINS BOLT INTO GROUND
- PADLOCK NOT INCLUDED



Padlock storage feature.
Padlock not included



READY FIT SURE CLOSE

CODE	TYPE	BRACKET	GAP	SELF- CLOSING FROM	GATE SWING MAX.	FINAL SNAP-CLOSE ACTION	POOL SAFETY	FENCE POST SIZE MIN.
SC-RF SMS	Hinge	Aluminium Screw-on	12-35mm	-	180°	-	-	50mm
SC-RF SMW	Hinge	Steel Weld-on	12-35mm	-	180°	-	-	50mm
SC-RF 108S	Hinge/Closer	Aluminium Screw-on	12-35mm	85°	180°	Yes	-	50mm
SC-RF 108W	Hinge/Closer	Steel Weld-on	12-35mm	85°	180°	Yes	-	50mm
SC-RF 108SFS	Hinge/Closer & Safety Features	Aluminium Screw-on	12-35mm	90°	90°	Yes	Yes**	50mm
SC-RF108 SFW	Hinge/Closer & Safety Features	Steel Weld-on	12-35mm	90°	90°	Yes	Yes**	50mm

** Yes (SC-RF)= Gate will not open at 90° (OK for Safety gates).Do Not use a hinge with a 90° hold-open feature (-) for pool/child safety gates.
CAUTION: A gate stop must be installed when using SC-SF models. Gate must not be allowed to open past 90°. Doing so voids warranty.



SC-RF108
Adjustable self-closing speed



SC-RFSM
Non self-closing Load bearing

PRODUCT FEATURES

- MULTIPLE MOUNTING OPTIONS
- POWERFUL, HIDDEN HYDRAULICS THAT DON'T LEAK
- MULTIPLE ADJUSTMENT OPTIONS
- DUAL BEARING GLIDE SYSTEM

Quick-fit alignment legs:
For ease of installation, alignment and double face-fixing strength

- Multiple mounting options:
- Mounting brackets included
 - Aluminium screw-on
 - Fasteners included

Vertical alignment slots

- Multiple adjustment options:
- Self-closing speed and force
 - Final snap-close action
 - Horizontal adjustment

Dual Bearing Glide System
Two rows of bearing for consistently superior performance.

Powerful, hidden hydraulics that don't leak!
Hydraulics are concealed within the hinge providing a controlled, quiet close in a tamper-resistant, compact design. No need to ever add fluid

Hinge Combination	Max self-Closing Gate Weight Max *
SC-RF108 + SC-RFSM	80kg
SC-RF108 +SC-RF108	120kg
Access Control	Weight Capacity
SC-RF SM + SC-RF SM	680kg

* Based on max gate size 1800x 1000mm. For gates with greater HxW, or if weather conditions such as wind play a role, use hinge combination with a higher self- closing weight rating.




LIMITED WARRANTY

READY FIT EASY

CODE	TYPE	BRACKET	GAP VARIANCE	SELF- CLOSING FROM	GATE SWING MAXIMUM	POOL SAFETY	FENCE POST SIZE MINIMUM
SC-SCE 108SFS	Closer	Aluminium	50-100mm	90°	90°	Yes**	50mm


* ALL EASY CLOSER INCLUDED FASTENERS, GATE AND POST MOUNTING BRACKETS.
** Yes (SC-RF)= Gate will not open at 90° (OK for Safety gates).
Do Not use a hinge with a 90° hold-open feature (-) for pool/ child safety gates.

CAUTION: A gate stop must be installed when using SC-SF models. Gate must not be allowed to open past 90°. Doing so voids warranty.




PRODUCT FEATURES

- MOUNTING SYSTEM: ALUMINIUM SCREW-ON BRACKET
- MULTIPLE ADJUSTMENT OPTIONS
- FITS TO THE TOP OF THE GATE
- FASTENERS INCLUDED



- Multiple mounting options:
- Aluminium, screw-on mounting bracket
 - Mounting brackets included
 - Fasteners included
 - Adjustment tool included


- Multiple adjustment options:
- Self-closing speed and force
 - Final snap-close action
 - Horizontal adjustment



Dual Bearing Glide System
Two rows of bearing for consistently superior performance.

Powerful, hidden hydraulics that don't leak!
Hydraulics are concealed within the hinge providing a controlled, quiet close in a tamper-resistant, compact design. No need to ever add fluid

FITS TO TOP OF GATE



Gate Size	Max self-Closing Gate Weight Max *
1800x1000mm	80kg
1800x1200mm	60kg

* Based on max gate size 1800x 1000mm. For gates with greater HxW, or if conditions such as wind play a role, use a different model of SureClose hinge + closer combination with a higher self- closing weight rating.



LIMITED WARRANTY